

Summary of Articles Published in last 10 years.

*Schmitz, JP: "Shooters Abscess" of the Neck Presenting as a Temporal Space Infection and Misdiagnosed as an Odontogenic Infection: Tx. Dent. J. 124:1188-1191, 2007.

*Schmitz, JP, Megna, CJ: Piezoelectric Osteotomies for Outpatient Rapid Palatal Expansion Surgery, Tx. Dent. J. 124:728-732, 2007.

*Gruskin, E, Doll, BA, Futrell, FW, Schmitz, JP, Hollinger, JO: Contemporary Review of Demineralized Bone Matrix, Biomaterials, Accepted, 2006.

*Kincaid, B, Powers, DB, Childress, RW, Schmitz, JP: The Use of Endoscopy for Management of Bilateral Sagittal Split Complications, J. Oral Maxillofac. Surg., May;64:846-50, 2006.

*[Sheets DW, Okamoto T, Dijkgraaf LC, Milam SB, Schmitz JP, Zardeneta G](#): Free Radical Damage in Facsimile Synovium: Correlation with Adhesion Formation in Osteoarthritic TMJs. J Prosthodont. 15:9-19, 2006.

*Kim, HJ, Kim, SH, Kim, MS, Lee, EJ, Oh, HG, Park, SW, Kim, WJ, Lee, GJ, Choi, NG, Koh, JT, Dinh, DB, Hardin, RR, Johnson, K, Sylvia, VL, Schmitz, JP, Dean, DD: Varying Ti-6AL-4V Surface Roughness Induces Different Early Morphologic and Molecular Responses in MG63 Osteoblast-like Cells, J. Biomed. Mater. Res. 74A: 366-373, 2005.

*Kincaid, B, Schmitz, JP: Tissue Injury and Healing, Oral Maxillofac. Surg. Clin. North Am., 17:241-250, 2005.

*Gear, AJL, Apasova, E, Schmitz, JP, Schubert, W: Treatment Modalities for Mandibular Fractures, J. Oral Maxillofac. Surg., 63: 655-663, 2005.

*Schmitz, JP: Clinical and Technical Issues Associated with the Use of Resorbable Fixation Systems for Maxillofacial Surgery, Tissue Eng., 2003.

*Dijkgraaf, LC, Zardeneta, G, Cordewener, FC, Liem, RSB, Schmitz, JP, deBont, MG, Milam, SB: Crosslinking of Fibrinogen and Fibronectin by Free Radicals: A Possible Initial Step in Adhesion Formation in Osteoarthritis of the Temporomandibular Joint, J. Oral Maxillofac. Surg., 61: 101-111, 2003.

*Sowden, D, Schmitz, JP: AO Self-drilling and Self-tapping Screws in Rat Calvarial Bone: An Ultrastructural Study of the Implant Interface, J. Oral Maxillofac. Surg., 60:294-299, 2002.

*Bender, SA, Schmitz, JP, Ong, JL: Effect of Biofluid Environment on the Dissolution and Flexural Strength of Calcium Phosphate Cements, Implant Dent. 10: 143-148, 2001.

*Schmitz, JP, Hollinger, JO: The Biology of Platelet-rich Plasma, J. Oral Maxillofac. Surg, 59:1119-1121, 2001.

*Cordewener, FS, van Geffen, MF, Joziassse, CAP, Schmitz, JP, Bos, RRM, Rozema, FR, Pennings, AJ: Cytotoxicity of Poly(96l/4d-lactide): The Influence of Degradation Stage and Sterilization, Biomaterials, 21:2433-2452, 2000.

*Cordewener, FW, Dijkgraaf, LC, Ong, JL, Agrawal, CM, Zardeneta, G, Milam, SB, Schmitz, JP: Particulate Analysis of Hydrolytically-Degraded Poly(lactide) and Poly(Lactide-co-glycolide) polymers, J. Biomed. Mater. Res., 50:59-66, 2000.

*Schmitz, JP, Lemke, RE, Agrawal, CM, Zardeneta, G, Milam, SB: Complication Following Implantation of Guidor Membrane for Guided Bone Regeneration: A Case Report, J. Oral Maxillofac. Surg., 58:888-893, 2000.

*Zardeneta, G, Milam, SB, Schmitz, JP: Iron-dependent Generation of Free Radicals: Plausible Mechanisms in the Progressive Deterioration of the Temporomandibular Joint. J. Oral Maxillofac. Surg., 58:302-308, 2000.

*Cordewener, FS, Schmitz, JP: The Future of Biodegradable Osteosyntheses, Tissue Engin., 6:413-424, 2000.

*Schmitz, JP, Lopez, RA: Limited Access Approach to the Superior Ileum, J. Craniomax. Trauma, 6:A-E, 2001.

*Schmitz, JP, Hollinger, JO, Milam, SB: Tissue-Engineered Reconstruction of Bone Using Calcium Phosphate Cements: A Critical Review. J. Oral Maxillofac. Surg., 57:1122-1126, 1999.

* Schmitz, JP, Parks, W, Wilson, IF, Schubert, W: The Use of the Naugle Orbitometer in Maxillofacial Trauma, J. Craniomax. Trauma, 5:13-18, 1999.

*Zardeneta, G, Milam, SM, Lee, TM, Schmitz, JP: Detection and preliminary characterization of matrix metalloproteinase activity in temporomandibular joint lavage fluid, Int. J. Oral Maxillofacial Surg., 27:397-403, 1998.

*Lupori, J, Jeter, T, Schmitz, JP: Esthetic lip changes after advancement genioplasty, Am. J. Cosmetic Surg., 15:48-60, 1998.

*Athanasidou, KA, Schmitz, JP, Agrawal, CM: The effects of porosity on *in vitro* degradation of PLA-PGA implants used in repair of articular cartilage, Tissue Eng., 4:53-63, 1998.

* Milam, SB, Zardeneta, G, Schmitz, JP: Oxidative stress and degenerative joint disease, J. Oral Maxillofacial Surg., 56:214-223, 1998.